

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/1/2023 Revision date: 4/28/2023 Supersedes version of: 10/16/2019 Version: 1.7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture

Trade name : FARECLA G360 SUPER FAST COMPOUND
Product code : SFC101, SFC106, SFC112, SFC201, SFC501 EU

Type of product : Polishes and wax blends

Product group : Blend

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use
Use of the substance/mixture : Abrasive polishing compound
Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

Restrictions on use : This material should not be used for any other purpose than the identified uses without

expert advice. Improper use may cause potential health, safety and environmental risks,

Polishes and wax blends

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer Only Representative

Farecla Products Limited Saint-Gobain Coating Solutions

Broadmeads 50 rue du Mourelet Z.I. Courtine Mourre Frais, B.P.

Ware, SG12 9HS – Hertfordshire FR– 90966 84093 Avignon – Cedex

UK France

T +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday) - F +44 (0)19 2046 T 0033 (0) 4 90 85 85 00 - F 0033 (0) 4 90 82 94 52

gualité-ehs.coating-solutions@saint-gobain.com

technical@farecla.com - www.farecla.com

# 1.4. Emergency telephone number

Emergency number : +44 (0)19 2046 5041 (8:30-16:30 Monday to Friday)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not Classified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Precautionary statements (CLP) : P102 - Keep out of reach of children.

EUH-statements : EUH210 - Safety data sheet available on request.

EUH208-Contains~1, 2-benzisothiazol-3(2H)-one (2634-33-5),~5-Chloro-2-methyl-3(2H)-isothiazolone,~mixture~with~2-methyl-3(2H)-isothiazolone (55965-84-9).~May produce an accordance of the contains an experimental contains a containing of the containing and containing an experimental containing and containing an experimental containing and containing an experimental containing and containing an experimental containing an experimental containing an experimental containing and containing an experimental containing and containing an experimental containing and containing and containing and containing and containing an experimental containing and containing an experimental containing an experimental containing and containing an experimental containing and containing an experimental containing and containing and containing an experimental containing and containing and containing and con

allergic reaction.

# Nordic countries regulation

Denmark

MAL code : 00-1

#### 2.3. Other hazards

Other hazards which do not result in classification : If in eyes: this material may cause mechanical irritation. Long term inhalation of product dust

may be harmful.

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
Aluminium Oxide (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-benzisothiazol-3(2H)-one (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Nitrate (7631-99-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Glycerol (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
White mineral oil (petroleum)(8042-47-5)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminium Oxide	CAS-No.: 1344-28-1 EC-No.: 215-691-6 REACH-no: 01-2119529248- 35	30 - 50	Not Classified
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	CAS-No.: 64742-47-8 EC-No.: 926-141-6 REACH-no: 01-2119456620- 43	10 - 30	Asp. Tox. 1, H304
White mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 2119487078-27	1 - 10	Not Classified
Glycerol	CAS-No.: 56-81-5 EC-No.: 200-289-5 REACH-no: 01-2119471987- 18	1 - 10	Not Classified
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, < 2% aromatics	CAS-No.: 1174522-19-0 EC-No.: 919-029-3 REACH-no: 01-2119457735- 29	1 - 10	Asp. Tox. 1, H304
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	< 0.05	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400
Benzyl benzoate	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9 REACH-no: 01-2119976371- 33	< 0.015	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Sodium Nitrate	CAS-No.: 7631-99-4 EC-No.: 231-554-3 REACH-no: 01-2119488221- 41	< 0.003	Ox. Sol. 3, H272 Eye Irrit. 2, H319
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691- 48	< 0.0015	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
White mineral oil (petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH-no: 2119487078-27	( 0 ≤C < 100) Asp. Tox. 1, H304

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	( 0.05 ≤C ≤ 100) Skin Sens. 1, H317
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	CAS-No.: 55965-84-9 EC-No.: 911-418-6 EC Index-No.: 613-167-00-5 REACH-no: 01-2120764691-	( 0.0015 ≤C ≤ 100) Skin Sens. 1A, H317 ( 0.06 ≤C < 0.6) Skin Irrit. 2, H315 ( 0.06 ≤C < 0.6) Eye Irrit. 2, H319 ( 0.6 ≤C ≤ 100) Skin Corr. 1C, H314 ( 0.6 ≤C ≤ 100) Eye Dam. 1, H318

Comments : Contains amongst other ingredients:

> >30% aluminium oxide; 15-30% aliphatic hydrocarbons; <5% non-ionic surfactants, polycarboxylates, fragrance, methylchloroisothiazolinone, methylisothiazolinone, benzisothiazolinone. Contains fragrance allergen: 0.015% benzyl benzoate. For more ingredient information visit www.farecla.com.

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory

symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water. If skin irritation occurs: Get

medical advice/attention.

: Rinse eyes with water as a precaution. Remove contact lenses, if present and easy to do. First-aid measures after eye contact

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Never give anything by mouth to an

unconscious person. Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : Prolonged or repeated contact may cause skin to become dry. Itching.

Symptoms/effects after eye contact May cause eye irritation. redness, itching, tears.

Symptoms/effects after ingestion May cause irritation to the digestive tract. Ingestion may cause nausea and vomiting.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

: Water spray. Dry powder. Foam. Carbon dioxide. Suitable extinguishing media

Unsuitable extinguishing media : Do not scatter spilled material with high-pressure water streams.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Product is not explosive.

Reactivity in case of fire : Fire could produce a combination of irritating and toxic gases.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon monoxide. Carbon dioxide. Nitrogen oxides.

4/28/2023 (Revision date) EN (English) 4/22

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 5.3. Advice for firefighters

Precautionary measures fire

: Keep container closed when not in use.

Firefighting instructions : Evacuate area. Exercise caution when fighting any chemical fire. Fight fire with normal precautions from a reasonable distance. Get the package away from the fire if this can be

done without risk. In case of fire: stop leak if safe to do so.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

Other information : High temperature decomposition products are harmful by inhalation.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Evacuate area.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

**Emergency procedures** : Ventilate spillage area. Avoid contact with eyes. Keep upwind. Evacuate area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

**Emergency procedures** : Evacuate unnecessary personnel. Stop leak if safe to do so. Cover spill with non

combustible material, e.g.: sand/earth.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Absorb spilled material with sand or earth. Take

up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean

contaminated surfaces with an excess of water.

Other information Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with eyes.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep at temperatures above freezing. Allowing

freezing conditions may degrade product.

: Oxidizing agent. Strong acids. Strong bases. Incompatible products Incompatible materials Direct sunlight. Heat sources. Sources of ignition.

Information on mixed storage Store away from foodstuffs.

: Store away from heat. Store in a well-ventilated place. Storage area Special rules on packaging : Keep only in original container. Store in a closed container.

### 7.3. Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

4/28/2023 (Revision date) EN (English) 5/22

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# SECTION 8: Exposure controls/personal protection

# 8.1. Control parameters

# 8.1.1 National occupational exposure and biological limit values

0.1.1 National occupational exposure and biological limit values		
Aluminium Oxide (1344-28-1)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	5 mg/m³ (respirable fraction, smoke)	
MAK (OEL STEL)	10 mg/m³ (respirable fraction, smoke)	
Belgium - Occupational Exposure Limits		
Local name	Aluminium (métal et composés insolubles, fraction alvéolaire) # Aluminium (metaal en onoplosbare verbindingen, inadembare fractie)	
OEL TWA	1 mg/m³	
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	10 mg/m³ (total dust, inhalable particles) 4 mg/m³ (respirable dust)	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	5 mg/m³ (total) 2 mg/m³ (respirable)	
Estonia - Occupational Exposure Limits		
OEL TWA	10 mg/m³ (total dust) 4 mg/m³ (respirable dust)	
France - Occupational Exposure Limits		
Local name	Aluminium (Trioxyde de di-)	
VME (OEL TWA)	10 mg/m³	
Remark	Valeurs recommandées/admises	
Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	
Greece - Occupational Exposure Limits		
Local name	Αλουμίνα, α-	
OEL TWA	10 mg/m³ αναπν. 5 mg/m³ εισπν.	
Regulatory reference	Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	6 mg/m³ (respirable dust)	
Ireland - Occupational Exposure Limits		
Local name	Aluminium oxides	
OEL TWA [1]	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust	
Regulatory reference	Chemical Agents Code of Practice 2021	
Latvia - Occupational Exposure Limits		
OEL TWA	6 mg/m³ (disintegration aerosol)	

# Safety Data Sheet

Aluminium Oxide (1344-28-1)			
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	5 mg/m³ (inhalable fraction) 2 mg/m³ (respirable fraction)		
Poland - Occupational Exposure Limits			
Local name	Tritlenek glinu		
NDS (OEL TWA)	2.5 mg/m³ w przeliczeniu na Al: frakcja wdychalna 1.2 mg/m³ w przeliczeniu na Al: frakcja respirabilna		
Remark	Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia. Frakcja respirabilna – frakcja aerozolu wnikająca do dróg oddechowych, która stwarza zagrożenie dla zdrowia po zdeponowaniu w obszarze wymiany gazowej.		
Regulatory reference	Dz. U. 2018 poz. 1286		
Portugal - Occupational Exposure Limits			
OEL TWA	10 mg/m³ (particulate matter containing no Asbestos and <1% Crystalline silica)		
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits			
OEL TWA	2 mg/m³ (aerosols) 3 mg/m³ (dust (Aluminium and Aluminium oxides) 1 mg/m³ (fume (Aluminium and Aluminium oxides)		
OEL STEL	5 mg/m³ (aerosols) 10 mg/m³ (dust (Aluminium and Aluminium oxides) 3 mg/m³ (fume (Aluminium and Aluminium oxides)		
Slovakia - Occupational Exposure Limits			
NPHV (OEL TWA) [1]	4 mg/m³ (inhalable dust)		
Spain - Occupational Exposure Limits			
Local name	Óxido de aluminio (Corindón)		
VLA-ED (OEL TWA) [1]	10 mg/m³		
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT		
Sweden - Occupational Exposure Limits			
NGV (OEL TWA)	5 mg/m³ (total dust) 2 mg/m³ (respirable fraction)		
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits		
Local name	Aluminium oxides		
WEL TWA (OEL TWA) [1]	10 mg/m³ inhalable dust 4 mg/m³ respirable dust		
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE		
Norway - Occupational Exposure Limits			
Local name	Aluminiumoksid		
Grenseverdi (OEL TWA) [1]	10 mg/m³		
Korttidsverdi (OEL STEL)	15 mg/m³ (equal to the limit value for Nuisance dust)		
Remark	1) Grenseverdien er fastsatt lik verdien for sjenerende støv.		
Regulatory reference	FOR-2021-06-28-2248		

# Safety Data Sheet

Aluminium Oxide (1344-28-1)		
Switzerland - Occupational Exposure Limits		
Local name	Aluminium oxyde / Aluminiumoxid [Korund]	
MAK (OEL TWA) [1]	3 mg/m³ (a) / (a)	
KZGW (OEL STEL)	24 mg/m³ (respirable dust, smoke)	
Critical toxicity	Formel / Formal	
Notation	В/В	
Remark	NIOSH	
Regulatory reference	www.suva.ch, 01.01.2023	
Switzerland - BAT		
Local name	Aluminium oxyde / Aluminiumoxid	
BAT	50 μg/g creatinine (0.21 μmol/mmol cr.; Paramètre biologique: Aluminium; Substrat d'examen: Urine; Moment du prélèvement: Exposition de longue durée: après plusieurs périodes de travail.) / (0.21 μmol/mmol cr.; Biologischer Parameter: Aluminium; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)	
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA	1 mg/m³	
Hydrocarbons, C11-C14, n-alkanes, isoalkane	es, cyclics, <2% aromatics (64742-47-8)	
Switzerland - Occupational Exposure Limits		
Local name	Distillats légers de pétrole, hydrotraités (vapeurs) / Destillate (Erdöl), mit Wasserstoff behandelte, leichte (Dampf)	
MAK (OEL TWA) [1]	350 mg/m³	
MAK (OEL TWA) [2]	50 ppm (vapour)	
KZGW (OEL STEL)	700 mg/m³	
KZGW (OEL STEL) [ppm]	100 ppm (vapour)	
Critical toxicity	SNC / ZNS	
Notation	SS <sub>C</sub> / SS <sub>C</sub>	
Remark	OSHA	
Regulatory reference	www.suva.ch, 01.01.2023	
White mineral oil (petroleum) (8042-47-5)		
Germany - Occupational Exposure Limits (TRGS 900)		
Local name	Weißes Mineralöl (Erdöl)	
AGW (OEL TWA) [1]	5 mg/m³ (A)	
Peak exposure limitation factor	4(II)	
Remark	DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	
Regulatory reference	TRGS900	
	· ·	

# Safety Data Sheet

White mineral oil (petroleum) (8042-47-5)			
Switzerland - Occupational Exposure Limits			
Local name	Huile de paraffine / Weissöl, pharmazeutisch		
MAK (OEL TWA) [1]	5 mg/m³ (i) / (e)		
Critical toxicity	Poumons / Lunge		
Notation	SS <sub>C</sub> / SS <sub>C</sub>		
Remark	NIOSH, DFG		
Regulatory reference	www.suva.ch, 01.01.2023		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixtur	re with 2-methyl-3(2H)-isothiazolone (55965-84-9)		
Austria - Occupational Exposure Limits			
MAK (OEL TWA)	0.05 mg/m³ (5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-dihydroisothiazol-3-one mixture in ratio 3:1)		
OEL chemical category	Skin sensitizer		
Switzerland - Occupational Exposure Limits			
Local name	2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle et 2,3-dihydro-isothiazol-3-one de 2-méthyle [2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle, 2,3-Dihydro-isothiazol-3-one de 2-méthyle] / 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on [2-Methyl-2,3-dihydroisothiazol-3-on]		
MAK (OEL TWA) [1]	0.2 mg/m³ (i) / (e)		
KZGW (OEL STEL)	0.4 mg/m³ (i) / (e)		
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge		
Notation	S, SS <sub>c</sub> / S, SS <sub>c</sub>		
Regulatory reference	www.suva.ch, 01.01.2023		
Sodium Nitrate (7631-99-4)			
Czech Republic - Occupational Exposure Limits			
PEL (OEL TWA)	6 mg/m³ (dust)		
Glycerol (56-81-5)			
Belgium - Occupational Exposure Limits			
Local name	Glycérine (brouillard) # Glycerine (nevel)		
OEL TWA	10 mg/m³		
Regulatory reference	Koninklijk besluit/Arrêté royal 11/05/2021		
Croatia - Occupational Exposure Limits	Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	10 mg/m³		
Czech Republic - Occupational Exposure Limits			
Local name	Glycerol, mlha		
PEL (OEL TWA)	10 mg/m³		
PEL (OEL TWA) [ppm]	2.6 ppm		
NPK-P (OEL C)	15 mg/m³		
NPK-P (OEL C) [ppm]	3.9 ppm		
Regulatory reference	Nařízení vlády č. 361/2007 Sb. (Předpis 195/2021 Sb.)		

# Safety Data Sheet

Estonia - Occupational Exposure Limits  OEL TWA  Finland - Occupational Exposure Limits  Local name  Glyseroli  HTP (OEL TWA) [1]  20 mg/m²  Regulatory reference  HTP-ARVOT 2020 (Sosiaali- ja tervayaministeric)  France - Occupational Exposure Limits  Local name  Glycarine (aérosols de)  VME (OEL TWA)  10 mg/m²  Remark  Valeurus recommandeex/admises  Regulatory reference  Croulaire du Ministère du travail (réf.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 980)  Local name  Glycarin  Glycarin  ADW (OEL TWA) [1]  200 mg/m² (E)  Peak exposure limitation factor  2(I)  Remark  DEG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffie der DFO (MAK-Kommission); Y - Ein Risike der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgernewertes und des biologischen Grenzwertes (BGW) nicht befürchtel zu werden  Regulatory reference  TRGS900  Regulatory reference  TAKS900  Forece - Occupational Exposure Limits  Local name  FAukcplvn  OEL TWA  10 mg/m²  Regulatory reference  TAL 90/1999 - Προσπατία της ιμγείος των εργαζομένων που εκτίθενται σε ορισμένους χημικού τρογλοντες κατά τη διόρεισα της εργασίος τους  Poland - Occupational Exposure Limits  Local name  Glicerol  NDS (OEL TWA)  10 mg/m² frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dia zdrowia.  Regulatory reference  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m² (nista)  Slovania - Occupational Exposure Limits  OEL TWA  200 mg/m² (nistabbie fraction)  Slovania - Occupational Exposure Limits  OEL TWA  200 mg/m² (nistabbie fraction)  Slovania - Occupational Exposure Limits  OEL TWA  200 mg/m² (nistabbie fraction)  Slovania - Occupational Exposure Limits  OEL TWA  200 mg/m² (nistabbie fraction)  Slovania - Occupational Exposure Limits  OEL TWA  10 mg/m² (nistabbie fraction)	Glycerol (56-81-5)		
Finland - Occupational Exposure Limits  Local name  Glyserdi  HTP (OEL TWA) [1] 20 mg/m²  Regulatory reference  HTP-ARVOT 2020 (Sosiaali- ja terveysministerio)  France - Occupational Exposure Limits  Local name  Glycérine (sérosols de)  VME (OEL TWA) 10 mg/m²  Remark  Valeurs recommandées/admises  Germany - Occupational Exposure Limits (TRGS 900)  Local name  Glycerin  AGW (OEL TWA) [1] 20 mg/m² (E)  Peak exposure limitation factor  Q()  Romark  DPG - Sensitskommission zur Prüfung gesundheitsschädlicher Arbeitssloffe der DPG (AMA-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden  Regulatory reference  TRGS900  Greece - Occupational Exposure Limits  Local name  FAuxsplvn  OEL TWA  10 mg/m²  Regulatory reference  TLA 901999 - Простаста тр, uydio; των εργαζομένων που εκτίθενται σε ορισμένους χημικού, πρόγοντες κατά τη διάρκαι της εργασίος τους  Poland - Occupational Exposure Limits  Local name  Glicerol  NDS (OEL TWA)  10 mg/m² frakcja wdychalha  Remark  Frakcja wdychalha - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwicza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  Local name  Glicerol  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  NPHY (OEL TWA) [1] 11 mg/m²  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m² (inhalable fraction)  OEL STEL  400 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits  Does Iname  Gliceria	Estonia - Occupational Exposure Limits		
Local name Glyseroli HTP (OEL TWA) [1] 20 mg/m² Regulatory reference HTP-ARVOT 2020 (Sosiasil- ja terveysministeriö) France - Occupational Exposure Limits Local name Glycérine (aérosols de) VME (OEL TWA) 10 mg/m² Remark Valeurs recommandées/admises Regulatory reference Circulaire du Ministère du travall (réf.: INRS ED 984, 2016) Germany - Occupational Exposure Limits (TRGS 900) Local name Glycerin AGW (OEL TWA) [1] 200 mg/m² (E) Peak exposure limitation factor 2() Remark DPG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DPG (MAK-Kommission), Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden Regulatory reference TRGS900 Groece - Occupational Exposure Limits Local name FAWELPH 10 mg/m² Regulatory reference TRGS900 Travella Exposure Limits Local name Glicerel N.B. 50/1599 - Простоете пр. цусёв; там сружборстим том склівечта σε ορισμένους χημικού επράγοντες κατά τη διάρκεα της εργασίας τους Poland - Occupational Exposure Limits Local name Glicerel N.B. 60/EL TWA) 10 mg/m² (misla) Remark Frakcja wdychathan frakcja aerozolu wnikająca przez πos i usta. która po zdeponowaniu w drogench oddechowych stwarza zagrożenie dla zdrowia. Regulatory reference Dz. U. 2018 poz. 1288 Portugal - Occupational Exposure Limits NPHV (OEL TWA) [1] 11 mg/m² Slovenia - Occupational Exposure Limits NPHV (OEL TWA) [1] 11 mg/m² Slovenia - Occupational Exposure Limits OEL TWA 200 mg/m² (inhalable fraction) GEL STEL 400 mg/m² (inhalable fraction) Spain - Occupational Exposure Limits Local name Glicerina	OEL TWA	10 mg/m³	
HTP (OEL TWA) [1] 20 mg/m² HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)  France - Occupational Exposure Limits  Local name Glycérine (aérosols de)  Wile (OEL TWA) 10 mg/m² Remark Valeurs recommandées/admises  Regulatory reference Criculaire du Ministère du travail (ref.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 900)  Local name Glycerin  AGW (OEL TWA) [1] 200 mg/m² (E)  Peak exposure limitation factor 2()  Remark DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission): Y Ein Risiko der Fricultschädigung braucht bei Ernhaltung des Arbeitsplatzgrenzwertes und des biologischen Granzwertes (BGW) nicht befürchtel zu werden  Regulatory reference TRGS900  Greece - Occupational Exposure Limits  Local name FAuxsplvn  OEL TWA 10 mg/m² frakcja welychalna  Regulatory reference TRGS900 Trapdyoritis kraft in höldpacta trip, spyradics, tous,  Polland - Occupational Exposure Limits  Local name Glicorol  NDS (OEL TWA) 10 mg/m² frakcja welychalna  Remark Friskoja welychalna - frakcja aerozolu wrikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m² (mist)  Slovakia - Occupational Exposure Limits  OEL TWA 10 mg/m² (mist)  Slovakia - Occupational Exposure Limits  OEL TWA 200 mg/m² (inhalable fraction)  OEL STEL 400 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits  Coel TWA 200 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits			
Regulatory reference HTP-ARVOT 2020 (Sosiaali- ja terveysministerió)  France - Occupational Exposure Limits  Local name Glycárine (aérosols de)  VME (OEL TWA) 10 mg/m²  Regulatory reference Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 900)  Local name Glycarin  AGW (OEL TWA) [1] 200 mg/m² (E)  Peak exposure limitation factor 2()  Remark DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgerizwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden  Regulatory reference TRGS900  Greece - Occupational Exposure Limits  Local name fAuxsplvrq  OEL TWA 10 mg/m²  Regulatory reference ITA S01999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκου της εργασίας τους  Poland - Occupational Exposure Limits  Local name Glicerol  NDS (OEL TWA) 10 mg/m² frakcja wdychalna  Remark Frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1288  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m² (inhalable fraction)  OEL TWA 200 mg/m² (inhalable fraction)  OEL TWA 200 mg/m² (inhalable fraction)  OEL TWA 200 mg/m² (inhalable fraction)  OEL STEL 400 mg/m² (inhalable fraction)  Spain - Occupational Exposure Limits	Local name	Glyseroli	
France - Occupational Exposure Limits   Clycérine (aérosols de)	HTP (OEL TWA) [1]	20 mg/m³	
Local name   Glycérine (aérosols de)  VME (OEL TWA)   10 mg/m²  Remark   Valeurs recommandées/admises   Regulatory reference   Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 900)  Local name   Glycerin   AGW (OEL TWA) [1]   200 mg/m² (E)  Peak exposure limitation factor   2(l)  Remark   DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG ((MAK-Kommission): Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden   Regulatory reference   TRGS900    Greece - Occupational Exposure Limits   Local name   ΓΑυκερίνη   OEL TWA   10 mg/m²   Regulatory reference   Π.Δ. 90/1999 - Προστασία της υγείος των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits   Local name   Glicerol   NDS (OEL TWA)   10 mg/m² frakcja wdychalna   Remark   Frakcja wdychalna - frakcja eerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference   Dz. U. 2018 poz. 1286   Portugal - Occupational Exposure Limits   OEL TWA   10 mg/m² (mist)   Slovania - Occupational Exposure Limits   OEL TWA   10 mg/m² (mist)   Slovania - Occupational Exposure Limits   OEL TWA   200 mg/m² (inhalable fraction)   OEL STEL   400 mg/m² (inhalable fraction)   OEL STEL   400 mg/m² (inhalable fraction)	Regulatory reference	HTP-ARVOT 2020 (Sosiaali- ja terveysministeriö)	
VME (OEL TWA) 10 mg/m²  Remark Valeurs recommandées/admises  Regulatory reference Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 900)  Local name Glycerin  AGW (OEL TWA) [1] 200 mg/m² (E)  Peak exposure limitation factor 2(I)  Remark DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchet zu werden  Regulatory reference TRGS900  Greece - Occupational Exposure Limits  Local name Γλυκερίνη  OEL TWA 10 mg/m²  Regulatory reference Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name Glicerol  NDS (OEL TWA) 10 mg/m² frakcja wdychalna - frakcja erozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m² (mist)  Slovania - Occupational Exposure Limits  OEL TWA 200 mg/m² (mist)  Slovania - Occupational Exposure Limits  OEL TWA 200 mg/m² (inhalable fraction)  OEL STEL 400 mg/m² (inhalable fraction)  OEL STEL 400 mg/m² (inhalable fraction)  OEL STEL 400 mg/m² (inhalable fraction)	France - Occupational Exposure Limits		
Regulatory reference   Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	Local name	Glycérine (aérosols de)	
Regulatory reference Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)  Germany - Occupational Exposure Limits (TRGS 900)  Local name Giycerin  AGW (OEL TWA) [1] 200 mg/m² (E)  Peak exposure limitation factor 2(I)  Remark DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden  Regulatory reference TRGS900  Grecco - Occupational Exposure Limits  Local name In May 10 mg/m³  Regulatory reference T.A. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name Gilicerol  NDS (OEL TWA) 10 mg/m³ frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  NPHV (OEL TWA) 11 mg/m³  Slovakia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  OEL STEL 500 mg/m³ (inhalable fraction)	VME (OEL TWA)	10 mg/m³	
Commany - Occupational Exposure Limits (TRGS 900)   Local name   Ciycerin     AGW (OEL TWA) [1]   200 mg/m³ (E)     Peak exposure limitation factor   2(I)     Remark   DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden     Regulatory reference   TRGS900     Greece - Occupational Exposure Limits     Local name   Γλυκερίνη     OEL TWA   10 mg/m³     Regulatory reference   Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους     Poland - Occupational Exposure Limits     Local name   Gilcerol     NDS (OEL TWA)   10 mg/m³ frakcja wdychalna     Remark   Frakcja wdychalna   frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.     Regulatory reference   Dz. U. 2018 poz. 1286     Portugal - Occupational Exposure Limits     OEL TWA   10 mg/m³ (mist)     Slovakia - Occupational Exposure Limits     OEL TWA   200 mg/m³ (inhalable fraction)     OEL STEL   400 mg/m³ (inhalable fraction)     OEL STEL   400 mg/m³ (inhalable fraction)     OEL STEL   500 mg/m³ (inhalable fraction)	Remark	Valeurs recommandées/admises	
Local name  Glycerin  AGW (OEL TWA) [1]  200 mg/m³ (E)  Peak exposure limitation factor  2(I)  Remark  DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden  Regulatory reference  TRGS900  Greece - Occupational Exposure Limits  Local name  FAuksplvη  OEL TWA  10 mg/m³  Regulatory reference  Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name  Glicerol  NDS (OEL TWA)  10 mg/m³ frakcja wdychalna  Frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  OPL TWA  200 mg/m³ (mist)  Slovenia - Occupational Exposure Limits  OPL TWA  200 mg/m³ (inhalable fraction)  GEL STEL  400 mg/m³ (inhalable fraction)  GEL STEL  Glicerina	Regulatory reference	Circulaire du Ministère du travail (réf.: INRS ED 984, 2016)	
AGW (OEL TWA) [1] 200 mg/m³ (E)  Peak exposure limitation factor 2(I)  Remark DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden  Regulatory reference TRGS900  Greece - Occupational Exposure Limits  Local name Γλυκερίνη  OEL TWA 10 mg/m³  Regulatory reference π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name Glicerol  NDS (OEL TWA) 10 mg/m³ frakcja wdychalna - frakcja eerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL TWA 200 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  OEL STEL 400 mg/m³ (inhalable fraction)	Germany - Occupational Exposure Limits (TRGS 90	00)	
Peak exposure limitation factor       2(I)         Remark       DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden         Regulatory reference       TRGS900         Greece - Occupational Exposure Limits         Local name       Γλωκερίνη         OEL TWA       10 mg/m³         Regulatory reference       Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους         Poland - Occupational Exposure Limits       Glicerol         NDS (OEL TWA)       10 mg/m³ frakcja wdychalna         Remark       Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.         Regulatory reference       Dz. U. 2018 poz. 1286         Portugal - Occupational Exposure Limits         OEL TWA       10 mg/m³ (mist)         Slovakia - Occupational Exposure Limits         OEL TWA       200 mg/m³ (inhalable fraction)         OEL STEL       400 mg/m³ (inhalable fraction)         Spain - Occupational Exposure Limits         Local name       Glicerina	Local name	Glycerin	
DFG - Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe der DFG (MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	AGW (OEL TWA) [1]	200 mg/m³ (E)	
(MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden	Peak exposure limitation factor	2(I)	
Greece - Occupational Exposure Limits         Local name       Γλυκερίνη         OEL TWA       10 mg/m³         Regulatory reference       Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους         Poland - Occupational Exposure Limits       Local name         NDS (OEL TWA)       10 mg/m³ frakcja wdychalna         Remark       Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.         Regulatory reference       Dz. U. 2018 poz. 1286         Portugal - Occupational Exposure Limits         OEL TWA       10 mg/m³ (mist)         Slovakia - Occupational Exposure Limits         NPHV (OEL TWA) [1]       11 mg/m³         Slovenia - Occupational Exposure Limits       200 mg/m³ (inhalable fraction)         OEL STEL       400 mg/m³ (inhalable fraction)         Spain - Occupational Exposure Limits       Clicerina	Remark	(MAK-Kommission); Y - Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes (BGW) nicht befürchtet zu	
Local name    Γλυκερίνη	Regulatory reference	TRGS900	
DEL TWA  10 mg/m³  Regulatory reference  π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name  Glicerol  NDS (OEL TWA)  10 mg/m³ frakcja wdychalna  Remark  Frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]  11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m³ (inhalable fraction)  OEL STEL  400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Glicerina	Greece - Occupational Exposure Limits		
Regulatory reference  Π.Δ. 90/1999 - Προστασία της υγείας των εργαζομένων που εκτίθενται σε ορισμένους χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name  Glicerol  NDS (OEL TWA)  10 mg/m³ frakcja wdychalna  Frakcja wdychalna - frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]  11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m³ (inhalable fraction)  OEL STEL  400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Glicerina	Local name	Γλυκερίνη	
χημικούς παράγοντες κατά τη διάρκεια της εργασίας τους  Poland - Occupational Exposure Limits  Local name Glicerol  NDS (OEL TWA) 10 mg/m³ frakcja wdychalna  Remark Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1] 11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	OEL TWA	10 mg/m³	
Local name  Clicerol  NDS (OEL TWA)  10 mg/m³ frakcja wdychalna  Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]  11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m³ (inhalable fraction)  OEL STEL  400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Clicerina	Regulatory reference		
NDS (OEL TWA)  10 mg/m² frakcja wdychalna  Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]  11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m³ (inhalable fraction)  OEL STEL  400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name  Glicerina	Poland - Occupational Exposure Limits		
Remark Frakcja wdychalna – frakcja aerozolu wnikająca przez nos i usta, która po zdeponowaniu w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1] 11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	Local name	Glicerol	
w drogach oddechowych stwarza zagrożenie dla zdrowia.  Regulatory reference  Dz. U. 2018 poz. 1286  Portugal - Occupational Exposure Limits  OEL TWA  10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]  11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA  200 mg/m³ (inhalable fraction)  OEL STEL  400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name  Glicerina	NDS (OEL TWA)	10 mg/m³ frakcja wdychalna	
Portugal - Occupational Exposure Limits  OEL TWA 10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1] 11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	Remark		
OEL TWA 10 mg/m³ (mist)  Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1] 11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	Regulatory reference	Dz. U. 2018 poz. 1286	
Slovakia - Occupational Exposure Limits  NPHV (OEL TWA) [1]	Portugal - Occupational Exposure Limits		
NPHV (OEL TWA) [1] 11 mg/m³  Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	OEL TWA	10 mg/m³ (mist)	
Slovenia - Occupational Exposure Limits  OEL TWA 200 mg/m³ (inhalable fraction)  OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	Slovakia - Occupational Exposure Limits		
OEL TWA 200 mg/m³ (inhalable fraction) OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits Local name Glicerina	NPHV (OEL TWA) [1]	11 mg/m³	
OEL STEL 400 mg/m³ (inhalable fraction)  Spain - Occupational Exposure Limits  Local name Glicerina	Slovenia - Occupational Exposure Limits		
Spain - Occupational Exposure Limits  Local name Glicerina	OEL TWA	200 mg/m³ (inhalable fraction)	
Local name Glicerina	OEL STEL	400 mg/m³ (inhalable fraction)	
	Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1] 10 mg/m³ nieblas	Local name	Glicerina	
	VLA-ED (OEL TWA) [1]	10 mg/m³ nieblas	

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Glycerol (56-81-5)		
Regulatory reference	Límites de Exposición Profesional para Agentes Químicos en España 2023. INSHT	
United Kingdom - Occupational Exposure Limits		
Local name	Glycerol	
WEL TWA (OEL TWA) [1]	10 mg/m³ mist	
WEL STEL (OEL STEL)	30 mg/m³ (calculated-mist)	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Switzerland - Occupational Exposure Limits		
Local name	Glycérine / Glycerin	
MAK (OEL TWA) [1]	50 mg/m³ (i) / (e)	
KZGW (OEL STEL)	100 mg/m³ (i) / (e)	
Critical toxicity	VRS / OAW	
Notation	SS <sub>c</sub> / SS <sub>c</sub>	
Regulatory reference	www.suva.ch, 01.01.2023	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

#### 8.2.2. Personal protection equipment

# Personal protective equipment:

Wear recommended personal protective equipment.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Splash goggles

# 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Examples of preferred glove barrier materials include: Butyl rubber. Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Polyvinyl alcohol ("PVA"). Polyvinyl chloride ("PVC" or "vinyl").

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. The fine-dust mask with exhale Valve is recommended to use when dust and mist exceed exposure limits in air, according to EN149:2001 + A1:2009 FFP2 NR standard. The respiratory mask should be worn when respiratory hazards has been identified and evaluated. Respiratory protection should be always determined on quantitative exposure assessments.

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Consumer exposure controls:

Hygiene measures. Personal protective equipment.

#### Other information:

Do not eat, drink or smoke when using this product. Provide readily accessible eye wash stations and safety showers.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour White. Appearance Thick liquid. Odour pleasant. Odour threshold Not available Melting point : < 0 °C Freezing point : Not available : > 100 °C Boiling point : Not applicable Flammability

Explosive properties : Product is not explosive.

Oxidising properties : Non oxidizing material according to EC criteria.

Explosive limits : Not available
Lower explosion limit : Not applicable.
Upper explosion limit : Not applicable.
Flash point : > 93 °C
Auto-ignition temperature : Not available
Decomposition temperature : Not available
pH : 9 – 10

Viscosity, kinematic : 20000 mm²/s (20°C)

Viscosity, dynamic : 20000 cP Brookfield Viscosity

Solubility : Dispersible in water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : Not available
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 1.27
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content : 210.5 g/l

4/28/2023 (Revision date) EN (English) 12/22

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not Classified
Acute toxicity (dermal) : Not Classified
Acute toxicity (inhalation) : Not Classified

Acute toxicity (initialiation)	. Not Classified			
Aluminium Oxide (1344-28-1)				
LD50 oral rat	> 10000 mg/kg Source: ECHA			
LC50 Inhalation - Rat	> 2.3 mg/l air			
LC50 Inhalation - Rat (Dust/Mist)	> 2.3 mg/l Source: ECHA			
Hydrocarbons, C11-C14, n-alkanes, iso	palkanes, cyclics, <2% aromatics (64742-47-8)			
LD50 oral rat	> 5000 mg/kg			
LD50 dermal rat	> 5000 mg/kg			
LC50 Inhalation - Rat	> 20 mg/l/4h			
Hydrocarbons, C16-C20, n-alkanes, iso	palkanes, cyclics, < 2% aromatics (1174522-19-0)			
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)			
LD50 dermal rabbit	> 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LC50 Inhalation - Rat	> 5266 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:			
White mineral oil (petroleum) (8042-47-	-5)			
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)			
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LC50 Inhalation - Rat	> 5 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)			

# Safety Data Sheet

1,2-benzisothiazol-3(2H)-one (2634-33-5)	1,2-benzisothiazol-3(2H)-one (2634-33-5)			
LD50 oral rat	490 mg/kg bodyweight			
LD50 oral	670 mg/kg			
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LD50 dermal	4115 mg/kg bodyweight			
LC50 Inhalation - Rat (Dust/Mist)	100 mg/l			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixtur	re with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
LD50 oral rat	66 mg/kg bodyweight			
LD50 dermal rat	> 1008 mg/kg bodyweight Animal: rat, Guideline: EPA OPP 81-2 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
LC50 Inhalation - Rat	0.17 mg/l air			
Sodium Nitrate (7631-99-4)				
LD50 oral rat	≈ 3430 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)			
LD50 oral	3700 mg/kg			
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)			
Glycerol (56-81-5)				
LD50 oral rat	27200 mg/kg bodyweight Animal: rat, Animal sex: female			
LD50 dermal rabbit	> 10 g/kg			
LD50 dermal	56750 mg/kg			
LC50 Inhalation - Rat	5.85 mg/l			
Benzyl benzoate (120-51-4)				
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Remarks on results: other:			
LD50 dermal rabbit	4000 mg/kg			
Skin corrosion/irritation :	Not Classified pH: 9 – 10			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixtur	re with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
рН	3.43 Temp.: 20 °C Concentration: 10 g/L			
Sodium Nitrate (7631-99-4)				
рН	7 Temp.: 25 °C Remarks on result: 'other:'			
Glycerol (56-81-5)				
рН	5.5 – 8			
Serious eye damage/irritation :	Not Classified pH: 9 – 10			
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)				
рН	3.43 Temp.: 20 °C Concentration: 10 g/L			
Sodium Nitrate (7631-99-4)				
рН	7 Temp.: 25 °C Remarks on result: 'other:'			

# Safety Data Sheet

Glycerol (56-81-5)			
рН	5.5 – 8		
Respiratory or skin sensitisation :	Not Classified		
Germ cell mutagenicity :	Not Classified		
Carcinogenicity :	Not Classified		
Reproductive toxicity :	Not Classified		
Aluminium Oxide (1344-28-1)			
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		
Hydrocarbons, C16-C20, n-alkanes, isoalkane	es, cyclics, < 2% aromatics (1174522-19-0)		
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study)		
NOAEL (animal/female, F0/P)	≥ 1500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 (One-Generation Reproduction Toxicity Study)		
NOAEL (animal/female, F1)	≥ 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]		
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)		
STOT-single exposure :	Not Classified		
STOT-repeated exposure :	Not Classified		
Aluminium Oxide (1344-28-1)			
LOAEC (inhalation, rat,dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Guideline: OECD Guideline 452 (Chronic Toxicity Studies)		
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.07 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
Hydrocarbons, C16-C20, n-alkanes, isoalkane	es, cyclics, < 2% aromatics (1174522-19-0)		
NOAEL (oral, rat, 90 days)	≥ 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)		
NOAEL (dermal, rat/rabbit, 90 days)	> 495 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)		
NOAEC (inhalation, rat, vapour, 90 days)	> 10.4 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)		
White mineral oil (petroleum) (8042-47-5)			
NOAEL (oral, rat, 90 days)	≥ 1200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
LOAEL (dermal, rat/rabbit, 90 days)	0.525 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days)		
Sodium Nitrate (7631-99-4)			
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)		

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Benzyl benzoate (120-51-4)			
NOAEL (dermal, rat/rabbit, 90 days)	781 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)		
Aspiration hazard :	Not Classified		
FARECLA G360 SUPER FAST COMPOUND			
Viscosity, kinematic	20000 mm²/s (20°C)		
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)			
Hydrocarbon	Yes		
Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, < 2% aromatics (1174522-19-0)			
Viscosity, kinematic	3.3 – 20 mm²/s (20°C)		
White mineral oil (petroleum) (8042-47-5)			
Viscosity, kinematic	2 mm²/s @ 40°C		
Hydrocarbon	Yes		

# 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

: Not Classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long–term : Not Classified

(almosts)

(chronic)

Not rapidly degradable

Tet rapidly degradable				
Aluminium Oxide (1344-28-1)				
LC50 - Fish [1]	0.078 – 0.108 mg/l Source: ECHA			
EC50 72h - Algae [1]	1.05 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
EC50 72h - Algae [2]	0.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)			
EC50 96h - Algae [1]	> 0.024 mg/l Source: ECHA			
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)				
LC50 - Fish [1]	2.2 mg/l			
1,2-benzisothiazol-3(2H)-one (2634-33-5)				
LC50 - Fish [1]	≈ 16.7 mg/l Test organisms (species): Cyprinodon variegatus			
LC50 - Fish [2]	2.15 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)			
EC50 - Crustacea [1]	2.94 mg/l Test organisms (species): Daphnia magna			
EC50 - Crustacea [2]	2.9 mg/l Test organisms (species): Daphnia magna			
EC50 - Other aquatic organisms [1]	2.94 mg/l waterflea			
C50 - Other aquatic organisms [2] 0.11 mg/l				

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

1,2-benzisothiazol-3(2H)-one (2634-33-5)			
ErC50 algae	150 μg/l		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
LC50 - Fish [1]	0.19 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
LC50 - Fish [2]	0.28 mg/l Test organisms (species): Lepomis macrochirus		
EC50 - Crustacea [1]	0.16 mg/l Test organisms (species): Daphnia magna		
EC50 - Crustacea [2]	0.0052 mg/l (Skeletonema costatum) (OECD 201)		
EC50 72h - Algae [1]	0.048 mg/l (Pseudokirchneriella subcapitata) (OECD 201)		
NOEC (chronic)	0.1 mg/l Test organisms (species): Daphnia magna Duration: '21 d'		
NOEC chronic fish	0.098 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d'		
NOEC chronic crustacea	0.004 mg/l 21 d (Daphnia) (OECD 211)		
NOEC chronic algae	0.0012 mg/l 72 h (Pseudokirchneriella subcapitata) (OECD 201)		
Sodium Nitrate (7631-99-4)			
LC50 - Fish [1]	1559 mg/l Test organisms (species): other:		
LC50 - Fish [2]	1354 mg/l Test organisms (species): other:		
EC50 - Crustacea [1]	8609 mg/l		
Glycerol (56-81-5)			
LC50 - Fish [1]	54000 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)		
EC50 - Crustacea [1]	> 10000 mg/l		
Benzyl benzoate (120-51-4)			
LC50 - Fish [1]	2.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)		
EC50 - Crustacea [1]	3.09 mg/l Test organisms (species): Daphnia magna		

# 12.2. Persistence and degradability

FARECLA G360 SUPER FAST COMPOUND			
Persistence and degradability Inherently biodegradable.			
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)			
Persistence and degradability  No persistence data available for this product.			
Glycerol (56-81-5)			
Biochemical oxygen demand (BOD)	0.87 g O₂/g substance		
Chemical oxygen demand (COD)	1.16 g O₂/g substance		
ThOD	1.217 g O₂/g substance		

# 12.3. Bioaccumulative potential

FARECLA G360 SUPER FAST COMPOUND	
Bioaccumulative potential	No indication of bio-accumulation potential.

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Aluminium Oxide (1344-28-1)		
Bioaccumulative potential	No bioaccumulation data available.	
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics (64742-47-8)		
Partition coefficient n-octanol/water (Log Kow)	6 – 8.2	
1,2-benzisothiazol-3(2H)-one (2634-33-5)		
BCF - Fish [1]	6.62	
Partition coefficient n-octanol/water (Log Pow)	-0.9 – 0.99	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixtur	e with 2-methyl-3(2H)-isothiazolone (55965-84-9)	
BCF - Fish [1]	41 – 54	
Bioconcentration factor (BCF REACH)	3.6 (calculated) S 1177	
Partition coefficient n-octanol/water (Log Pow)	0.75	
Sodium Nitrate (7631-99-4)		
Partition coefficient n-octanol/water (Log Pow)	-3.8	
Glycerol (56-81-5)		
BCF - Fish [1]	(no bioaccumulation)	
Partition coefficient n-octanol/water (Log Pow)	-1.75	
Partition coefficient n-octanol/water (Log Kow)	-1.76	
Benzyl benzoate (120-51-4)		
Partition coefficient n-octanol/water (Log Pow)	4	

# 12.4. Mobility in soil

FARECLA G360 SUPER FAST COMPOUND			
Ecology - soil	Semi-solid under most environmental conditions. If it enters soil, it will adsorb to soil particles and will not be mobile.		
1,2-benzisothiazol-3(2H)-one (2634-33-5)			
Surface tension	72.6 mN/m		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.97		
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1		
Glycerol (56-81-5)			
Surface tension	63.4 mN/m		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0		

#### 12.5. Results of PBT and vPvB assessment

# **FARECLA G360 SUPER FAST COMPOUND**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component		
Aluminium Oxide (1344-28-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1,2-benzisothiazol-3(2H)-one (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Sodium Nitrate (7631-99-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Glycerol (56-81-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

#### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods European List of Waste (LoW) code Hazardous Waste Group

- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : 08 04 12 adhesive and sealant sludges other than those mentioned in 08 04 11
- : H Organic chemicals without halogen or sulfur (eg. water-based glue, varnish or paint) or mixed organic and inorganic substances.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	14.1. UN number or ID number			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shippin	g name			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard o	class(es)			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group	14.4. Packing group			
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

# 14.6. Special precautions for user

#### **Overland transport**

Not regulated

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

CESIO recommendations

: The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)				
Reference code	Applicable on	Entry title or description		
3(b)	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics; Hydrocarbons, C16-C20, n-alkanes, isoalkanes, cyclics, < 2% aromatics; 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	5-Chloro-2-methyl-3(2H)- isothiazolone, mixture with 2-methyl-3(2H)- isothiazolone	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### VOC Directive (2004/42)

VOC content : 210.5 g/l

#### **Explosives Precursors Regulation (2019/1148)**

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **ANNEX II REPORTABLE EXPLOSIVES PRECURSORS**

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported to the relevant national contact point within 24 hours.

Name	CAS-No.	Nomenclature	Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Sodium nitrate	7631-99-4	3102 50 00	ex 3824 99 96

Please see https://ec.europa.eu/home-affairs/system/files/2021-11/list of competent authorities and national contact points en.pdf

#### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### **France**

Occupational diseases		
Code	Description	
RG 65	Eczematiform lesions of allergic mechanism	
RG 66	Occupational rhinitis and asthma	
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

: WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1). Water hazard class (WGK)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

ABM category : A(3) - hazardous for aquatic organisms, may have longterm hazardous effects in aquatic

environment

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen : None of the components are listed

SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed SZW-lijst van reprotoxische stoffen -: None of the components are listed

Vruchtbaarheid SZW-lijst van reprotoxische stoffen - Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** : Young people below the age of 18 years are not allowed to use the product

> Pregnant/breastfeeding women working with the product must not be in direct contact with the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

4/28/2023 (Revision date) EN (English) 21/22

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 16: Other information**

Full text of H- and EUH-statements:				
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2			
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2			
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3			
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4			
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1			
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1			
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2			
Asp. Tox. 1	Aspiration hazard, Category 1			
EUH208	Contains 1,2-benzisothiazol-3(2H)-one(2634-33-5), 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone(55965-84-9). May produce an allergic reaction.			
EUH210	Safety data sheet available on request.			
Eye Dam. 1	Serious eye damage/eye irritation, Category 1			
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2			
H272	May intensify fire; oxidiser.			
H301	Toxic if swallowed.			
H302	Harmful if swallowed.			
H304	May be fatal if swallowed and enters airways.			
H310	Fatal in contact with skin.			
H314	Causes severe skin burns and eye damage.			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H319	Causes serious eye irritation.			
H330	Fatal if inhaled.			
H400	Very toxic to aquatic life.			
H410	Very toxic to aquatic life with long lasting effects.			
H411	Toxic to aquatic life with long lasting effects.			
Ox. Sol. 3	Oxidising Solids, Category 3			
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C			
Skin Irrit. 2	Skin corrosion/irritation, Category 2			
Skin Sens. 1	Skin sensitisation, Category 1			
Skin Sens. 1A	Skin sensitisation, category 1A			

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

While Farecla Products Ltd. believes that the data and information contained herein are factual and the opinions are those of qualified experts, they are not to be taken as a warranty or representation for which Farecla assumes any legal responsibility. They are offered solely for the consideration, investigation, data and information in accordance with applicable laws and regulations.